

Paint and Varnish Stripper

SECTION 1. IDENTIFICATION

Product Identifier	Paint and Varnish Stripper
Other Means of Identification	53-524, 53-531, 53-534, 53-521
Other Identification	Heavy Duty Stripper
Recommended Use	Please refer to Product label.
Restrictions on Use	None known.
Manufacturer/Supplier Identifier	Recochem Inc., 850 Montee de Liesse, Montreal, QC, H4T 1P4, Compliance and Regulatory Department, 905-878-5544, www.recochem.com
Emergency Phone No.	CANUTEC, 613-996-6666, 24 Hours
SDS No.	1981

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable liquid - Category 3; Skin irritation - Category 2; Eye irritation - Category 2A; Carcinogenicity - Category 2; Reproductive toxicity - Category 1B; Specific target organ toxicity (repeated exposure) - Category 2

Label Elements



Signal Word:
Danger

Hazard Statement(s):

Flammable liquid and vapour.
Causes skin and eye irritation.
Suspected of causing cancer.
May damage fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s):

Prevention:
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical, ventilating, and lighting equipment.
Use explosion-proof equipment.

Product Identifier: Paint and Varnish Stripper - Ver. 1
Date of Preparation: February 24, 2020
Date of Last Revision: June 28, 2021

SDS No.: 1981

Page 01 of 09

Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe fume, mist, vapours, spray.
Wash hands and skin thoroughly after handling.
Wear protective gloves, eye protection.

Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
If skin irritation occurs: Get medical advice or attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: Get medical advice or attention.
IF exposed or concerned: Get medical advice or attention.
In case of fire: Use appropriate foam, dry chemical powder, water spray or fog to extinguish.

Storage:

Store in a well ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
N,N-Dimethylformamide	68-12-2	30-60		
Propylene carbonate	108-32-7	10-30		
DIMETHYL CARBONATE	616-38-6	10-30		
N,N-dimethyl 9-decenamide	1356964-77-6	10-30		
Ethyl 3-ethoxypropionate	763-69-9	5-10		
Polyethylene glycol monoundecyl ether, liquids	34398-01-1	1-5		

Notes

Use of Generic SDS:

If the concentration or actual concentration range of an ingredient of a particular hazardous product in the series is different from the concentration or actual concentration range disclosed for the rest of the series, either the concentration or the actual concentration range must be indicated beside that ingredient under item 3 (Composition/Information on ingredients) of the SDS. Furthermore, if any other specific information element(s) (such as flash point, numerical measure of toxicity, etc.) for a particular hazardous product in the series differs from that of the other products in the series (without affecting the classification), the information element relevant to that hazardous product must be disclosed on the SDS with an indication to which hazardous product each relates.

Source: Health Canada - Technical Guidance on the Requirements of the Hazardous Products Act and the Hazardous Products Regulations WHMIS 2015 Supplier Requirements - pg 117

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Product Identifier: Paint and Varnish Stripper - Ver. 1
Date of Preparation: February 24, 2020
Date of Last Revision: June 28, 2021

SDS No.: 1981

Page 02 of 09

Remove source of exposure or move to fresh air. If exposed or concerned, get medical advice or attention. Take precautions to prevent a fire (e.g. remove sources of ignition).

Skin Contact

Avoid direct contact. Wear chemical protective clothing if necessary. Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and gently blot or brush away excess chemical. Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. If skin irritation occurs, get medical advice or attention. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

Eye Contact

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

Ingestion

Rinse mouth with water. Get medical advice or attention if you feel unwell or are concerned.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Medical Conditions Aggravated by Exposure

Dermatitis.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Flammable liquid and vapour. Can ignite at room temperature. Releases vapour that can form explosive mixture with air. May accumulate in hazardous amounts in low-lying areas especially inside confined spaces, resulting in a fire and/or health hazard. Closed containers may rupture violently when heated releasing contents.

In a fire, the following hazardous materials may be generated: very toxic, flammable formaldehyde; toxic chemicals.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Evacuate downwind locations. Do not touch damaged containers or spilled product unless wearing appropriate protective

Product Identifier: Paint and Varnish Stripper - Ver. 1

SDS No.: 1981

Date of Preparation: February 24, 2020

Date of Last Revision: June 28, 2021

Page 03 of 09

equipment. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for Safe Storage

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Propylene carbonate	Not established	Not established	Not established	Not established		
DIMETHYL CARBONATE	Not established					
Polyethylene glycol monoundecyl ether, liquids					10 mg/m3	
N,N-dimethyl 9-decenamide	Not established					
Ethyl 3-ethoxypropionate	Not established	Not established				

Appropriate Engineering Controls

General ventilation is usually adequate. For large scale use of this product: do not allow product to accumulate in the air in work or storage areas, or in confined spaces. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Control static electricity discharges which

Product Identifier: Paint and Varnish Stripper - Ver. 1
Date of Preparation: February 24, 2020
Date of Last Revision: June 28, 2021

SDS No.: 1981

Page 04 of 09

includes bonding of equipment to ground. Use only non-combustible, compatible materials for walls, floors, ventilation system, air cleaning devices, pallets, shelving. Provide safety shower in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: Viton®/butyl rubber, Barrier® (PE/PA/PE).

The following materials should NOT be used: natural rubber, neoprene rubber, nitrile rubber, polyvinyl alcohol, polyvinyl chloride.

Respiratory Protection

Not normally required if product is used as directed. For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with an organic vapour cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear liquid. Particle Size: Not applicable
Odour	Ethereal
Odour Threshold	Not available
pH	5 - 6
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Boiling Range	Not available
Flash Point	50 °C (122 °F) (closed cup)
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	1.005 - 1.025 at 20 °C
Solubility	Not available in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not applicable
Viscosity	Not available (kinematic); Not available (dynamic)
Other Information	
Physical State	Liquid
Molecular Formula	Not applicable
Molecular Weight	Not applicable
Bulk Density	Not applicable
Surface Tension	Not applicable
Critical Temperature	Not applicable
Electrical Conductivity	Not available
Vapour Pressure at 50 deg C	Not applicable
Saturated Vapour Concentration	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Heating may cause a fire.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Decomposes in the presence of heat, light, sunlight, air.

Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources. Temperatures above 38.5 °C (101.3 °F)

Incompatible Materials

Reacts violently with: halogenated compounds (e.g. trichloroethylene), halogens (e.g. chlorine), strong oxidizing agents (e.g. perchloric acid), strong acids (e.g. hydrochloric acid).

At high temperatures, corrosive to: aluminum alloys, copper, zinc, copper alloys (e.g. brass and/or bronze).

Hazardous Decomposition Products

Very toxic, flammable formaldehyde; toxic chemicals; reactive chemicals.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation; skin contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Propylene carbonate	5000 mg/m3 (rat)	20700 mg/kg (male mouse)	5000 mg/kg (rabbit)
DIMETHYL CARBONATE		6 g/kg (mouse)	2500 mg/kg (rat)
Polyethylene glycol monoundecyl ether, liquids	Not available	> 2000 mg/kg (rat)	> 2000 mg/kg (rabbit)
N,N-dimethyl 9-decenamide		550 mg/kg (rat)	> 2000 mg/kg (rabbit)
N,N-Dimethylformamide	1948 ppm (rat) (4-hour exposure)	2000 mg/kg (rat)	4720 mg/kg (rabbit)
Ethyl 3-ethoxypropionate	1220 ppm (rat) (4-hour exposure)	5000 mg/kg (rat)	9490 mg/kg (rabbit)

LC50 (Inhalation)

No information was located.

LD50 (Oral)

Oral ATE: 9265 mg/kg

LD50 (Dermal)

Dermal ATE: 4128 mg/kg

Skin Corrosion/Irritation

Human experience and animal tests show moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience and animal tests show serious eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

At high concentrations nose and throat irritation.

Skin Absorption

No information was located.

Product Identifier: Paint and Varnish Stripper - Ver. 1

SDS No.: 1981

Date of Preparation: February 24, 2020

Date of Last Revision: June 28, 2021

Page 06 of 09

Ingestion

May be harmful if large amounts are swallowed based on animal tests.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause damage to organs based on animal studies. Following skin contact and/or if swallowed.

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Not known to be a skin sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Propylene carbonate	Not Listed	Not designated	Not Listed	Not Listed
DIMETHYL CARBONATE	Not Listed	Not designated	Not Listed	Not Listed
Polyethylene glycol monoundecyl ether, liquids	Not Listed	Not designated	Not Listed	Not Listed
N,N-dimethyl 9-decenamide	Not Listed	Not designated	Not Listed	Not Listed
N,N-Dimethylformamide	Group 2A	A3	Not Listed	Not Listed
Ethyl 3-ethoxypropionate	Not Listed	Not designated	Not Listed	Not Listed

Reproductive Toxicity**Development of Offspring**

May harm the unborn child.

Sexual Function and Fertility

May cause effects on sexual function and/or fertility.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products

Product Identifier: Paint and Varnish Stripper - Ver. 1

SDS No.: 1981

Date of Preparation: February 24, 2020

Date of Last Revision: June 28, 2021

Page 07 of 09

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	1263	PAINT RELATED MATERIAL	3	III
US DOT	1263	PAINT RELATED MATERIAL	3	III

Environmental Hazards Not applicable

Special Precautions Please note: In containers of 5 L (5Kg) capacity or less this product is classified as a "Limited Quantities""Consumer Commodity" under TDG regulations.
In containers of 5 L (5Kg) capacity or less this product is classified as a "Consumer Commodity" under DOT regulations.

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

Proof of Dangerous Goods Classification

Date of Classification February 24, 2020
Technical Name FLAMMABLE LIQUID, N.O.S.
Classification 3 PG III
Classification Method Flashpoint as per Section 9

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

None known.

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

California Proposition 65:

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov/product.

Custom Regulatory 1

Consumer Product Safety Improvement Act of 2008 General Conformity Certification

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

Custom Regulatory 2

This product potentially contains Ethylene Oxide (CAS: 75-21-8) at ~0.02% W/W. The concentration level does not require reporting under Section 3 however this concentration is above the OHS Permissible Limits in British Columbia.

Product Identifier: Paint and Varnish Stripper - Ver. 1
Date of Preparation: February 24, 2020
Date of Last Revision: June 28, 2021

SDS No.: 1981

Page 08 of 09

SECTION 16. OTHER INFORMATION

SDS Prepared By	Compliance and Regulatory Department
Phone No.	905-878-5544
Date of Preparation	February 24, 2020
Date of Last Revision	June 28, 2021
Revision Indicators	<p>The following SDS content was changed on March 20, 2020: SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information. SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density; Flash Point.</p> <p>The following SDS content was changed on June 28, 2021: SECTION 1. IDENTIFICATION; Other Means of Identification; Other Identification; SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Odour; Relative Density.</p>
Additional Information	<p>We are committed to uphold the Industry Consumer Ingredient Communication Voluntary Initiative.</p> <p>Please send us your request by visiting our website at www.recochem.com.</p> <p>Ingredients present (intentionally added ingredients) at a concentration of greater than one percent (1%) shall be listed in descending order of predominance. Ingredients present at a concentration of not more than one percent shall be listed but may be disclosed without respect to order of predominance.</p>
Disclaimer	<p>Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.</p>